

Wire & Cable | Batteries & Chargers  
 Tools & Hardware | Audio & Video

**True-rms AC/DC Clamp Meter with iFlex™**

With true-rms voltage and current measurements, the Fluke 376 can read up to 1000 V and 1000 A in both ac and dc modes.

376

**Remote Display True-rms AC/DC Clamp Meter w/ iFlex™**

The new iFlex flexible current probe (included) expands the measurement range to 2500 A ac while providing increased display flexibility, ability to measure awkward sized conductors and improved wire access.

381



**INTERNETOFFICE500**

Internet Office 500VA Tower Standby 120V UPS with USB port. Offers surge suppression and long-lasting battery support for personal computers, internetworking equipment and other sensitive electronics.

**INTERNET750U**

Internet Office 750VA Ultra-compact Standby 120V UPS with USB port. Offers complete protection for PCs, workstations and other sensitive electronics in an attractive, ultra-compact, mountable housing.



**Rechargeable Sealed Lead Acid Batteries**



- Power/volume ratio yielding unrivaled energy density
- Absorbent Glass Mat (AGM) technology for superior performance
- Valve regulated, spill proof construction allows safe operation in any position

PS-1270.....	12 Volt.....	7.0 AH
PS-1250.....	12 Volt.....	5.0 AH
PS-640F .....	6.00 Volt.....	4.50 AmpH

## Master Telecom Tool Bag

The Eclipse 902-685ZT is a Master Telecom Tool Bag. Keep all your tools close at hand with this carrying case for tools.

- Water repellent to keep tools and equipment dry
- Easy Carry Handles
- Designed for use by Electricians and Telecommunications Professionals



## Xcelite 170M General Purpose Shearcutter

Precision electronic flush-cut lead cutters that require 50% less operator effort and have a longer cutting life than conventional cutters.

- Diagonal
- Flush Jaw
- 5" Length
- 3/4" Jaw length
- Red Grip



DYMO

## RhinoPRO 1/2" Flexible Nylon Labels - Black on White

RhinoPro labels feature super strong adhesives that stick and last in heavy-duty environments, attached to curved, textured, and highly textured surfaces. 18488

## RhinoPRO White Heat Shrink Tubes

Heat Shrink Tubes for use with Dymo RhinoPro 5000 label machine. White, with black ink.

1/4" (6mm) tube suits cables ranging from 1.18mm up to 2.33mm diameter. 18051

1/2" (12mm) tube suits cables ranging from 2.97mm up to 5.13mm diameter. 18055

## Rhino 5200 Hard Case Kit Industrial Label Printer

Rhino 5200 Kit lets you quickly create crystal-clear, professionally formatted labels for wires and cables, terminal blocks, 110 blocks, electrical and patch panels, shelves, racks, equipment machinery and more. 1756589



## RG59/59 Quad Universal F Compression Connectors Nickel (Red) - FS59U

## RG6/6 Quad Universal F Compression Connector Nickel (Green) - FS6U

## RG59/59 Quad Universal BNC Compression Connectors - FS59BNCU

ICM CORP  
INTERNATIONAL COMMUNICATIONS MANUFACTURING CORP



## JackRapid™ Punchdown Tool

Patented jack termination tool allows you to terminate jacks 8 times faster.

- Cuts installation time - easy to use handle, seats and cuts all wires at once, saving you up to 1 minute installation time per jack!
- High quality, consistent terminations - no more compromised connections and wasted jacks
- Simple, one-handed operation with an ergonomically designed handle reduces hand fatigue

JR-LEV-1 JR-LEV-1, JackRapid Termination Tool (for Leviton 41106, 41108, 5G108)  
 JR-LEV-2 JR-LEV-2, JackRapid Termination Tool (for Leviton 61110, 5G110, 6110G)




## VGA to HDMI® Converter

With an added 3.5mm audio connection, enjoy high definition video and audio. The converter is simple to use with no software or drivers required. 2403-40010-ADT



## SCP → Structured Cable Products

Quality Installations Deserve Quality Products



<b>Cat5e:</b>	<b>Cat6:</b>
PVC	PVC
Plenum	Plenum
Shielded	Shielded
Siamese	LSZH
LSZH	Direct Burial
Direct Burial	Cat6 A
Low Skew	



## RapidRun Incredible Flexibility & Easy Configuration

The first interconnect system designed to evolve with the components of your installation. Based upon the Quiktron MUVI™ system (Multi Use Versatile Interconnect), RapidRun can handle the signal you need, whenever and wherever you need it!



## 233 Remote Display Multimeter

Wireless remote display digital multimeter w/ removable magnetic display allows you to be 30 ft. away from the measurement point.



## 365 Detachable Jaw True-rms AC/DC Clamp Meter

The 365's thin, small jaw is detachable with a flexible lead, which makes gaining access to wires and viewing the display easier than ever.

## HDMI (M-M) CABLE 1.4 W/ETHERNET CL3 28 AWG 1080P

Quest Technology International now offers reliable HDMI interface cable that is Male to Male high speed 1080P, ethernet and CL3.

- Features:**
- 24K Gold Plated HDMI Connectors
  - 28 AWG



HDI-1403	.....	3FT
HDI-1406	.....	6FT
HDI-1410	.....	10FT
HDI-1412	.....	12FT
HDI-1415	.....	15FT
HDI-1420	.....	20FT
HDI-1425	.....	25FT
HDI-1430	.....	30FT
HDI-1450	.....	50FT



## Weller Soldering Stations

Quick heat up & rapid temperature recovery. Automatically powers down after 90 minutes to prolong tip life and save power. Includes power unit, soldering pencil, stand, sponge.

WES51 ..... Analog  
WESD51 ..... Digital

Weller Benchtop Smoke Absorber, 120V  
WSA350



## HDMI 1.3 (A) to Mini HDMI (C) Cables

45-7441 .....1M  
45-7442 .....2M  
45-7443 .....3M



## Greenlee Jack Terminator Tool w/ Head Set for Leviton

Cuts and terminates CAT5/UTP jack cables in just one step. CAT5 Terminating Crimper has a ratcheting action and patented spring-engaged blades to ensure consistent, quality wire terminations.




PA8108

**NETcat® VDV Wiring Tester**  
Tests shielded twisted pair, unshielded twisted pair and coax cables. Detects shorts, opens, reversed polarity, crossed and split pairs.



NC-100



## \$90 Million In Inventory and Access To Over 900 Product Lines

We are a proud member and owner of Edge, a national distributor group committed to offering you extensive inventory selection, excellent local service, and vast product knowledge.

